




WDX

2D





▼Recommended Inserts 建議刀片品牌：SUMITOMO

Order No.	Insert	Dimensions(mm)							Fig	Screw	Wrench	
Right / Left		刀徑	柄徑	夾持接觸面直徑	最大鑽頭	總長	懸伸長度	柄長				
		DC	DCON	DCSFMS	LUX	OAL	LPR	LS				
WDX130D2S20N	WDX042004	13.0	20	33	29	100	44	56	1	CS16045	FT-6	-
WDX155D2S20N	WDX052504	15.5			34	105	49			CS20047		
WDX155D2S25N		15.5	34		105	49						
WDX160D2S25N		16.0	35		106	50						
WDX165D2S25N		16.5	36		107	51						
WDX170D2S25N		17.0	37	108	52							
WDX175D2S25N		17.5	32	38	109	53	CS25055 / CS25052S			-	DT-8	
WDX180D2S25N		18.0		39	110	54						
WDX240D2S25N	WDX073506	24.0	25	37	51	125						69
WDX245D2S25N		24.5			52	126						70
WDX250D2S25N		25.0			53	127						71

WDX

3D






▼Recommended Inserts 建議刀片品牌：SUMITOMO


Order No.	Insert	Dimensions(mm)							Fig	Screw	Wrench		
Right / Left		刀徑	柄徑	夾持接觸面直徑	最大鑽頭	總長	懸伸長度	柄長					
		DC	DCON	DCSFMS	LUX	OAL	LPR	LS					
WDX130D3S20N	WDXT042004	13.0	20	28	42.0	101.0	57.0	44	1	CS16045	FT-6	-	
WDX135D3S20N		13.5			43.5	102.5	58.5						
WDX140D3S20N		14.0			45.0	104.0	60.0						
WDX145D3S20N		14.5			46.5	105.5	61.5						
WDX150D3S20N		15.0			48.0	107.0	63.0						
WDX155D3S20N	WDXT052504	15.5	20	28	49.5	108.5	64.5	44		CS20047	FT-6	-	
WDX160D3S20N		16.0			51.0	110.0	66.0						
WDX165D3S20N		16.5			52.5	111.5	67.5						
WDX170D3S20N		17.0			54.0	113.0	69.0						
WDX175D3S25N		17.5			25	33	55.5						126.5
WDX180D3S25N	18.0	57.0	128.0	72.0									
WDX185D3S25N	WDXT063006	18.5	25	33	58.5	129.5	73.5	56		CS22060	-	DT-7	
WDX190D3S25N		19.0			60.0	131.0	75.0						
WDX195D3S25N		19.5			61.5	132.5	76.5						
WDX200D3S25N		20.0			63.0	134.0	78.0						
WDX205D3S25N		20.5			64.5	135.5	79.5						
WDX210D3S25N		21.0			66.0	137.0	81.0						
WDX215D3S25N		21.5			67.5	138.5	82.5						
WDX220D3S25N		22.0			69.0	140.0	84.0						
WDX225D3S25N		22.5			70.5	141.5	85.5						
WDX230D3S25N	WDXT073506	23.0	25	33	72.0	146.0	90.5	56		2	CS25055/ CS25052S	-	DT-8
WDX235D3S25N		23.5			73.5	147.5	91.5						
WDX240D3S25N		24.0			75.0	149.0	93.0						
WDX245D3S25N		24.5			76.5	150.5	94.5						
WDX250D3S25N		25.0			78.0	152.0	96.0						
WDX255D3S32N		25.5	32	41	79.5	159.5	99.5	60					
WDX260D3S32N		26.0			81.0	161.0	101.0						
WDX265D3S32N		26.5			82.5	162.5	102.5						
WDX270D3S32N		27.0			84.0	164.0	104.0						
WDX275D3S32N		27.5			85.5	165.5	105.5						
WDX280D3S32N	28.0	87.0	167.0	107.0	60								
WDX285D3S32N	28.5	88.5	168.5	108.5									
WDX290D3S32N	29.0	32	41	91.0		172.0	112.0	60					
WDX295D3S32N	29.5			92.5		173.5	113.5						
WDX300D3S32N	30.0			94.0		178.0	118.0						
WDX310D3S32N	31.0			97.0	181.0	121.0							
WDX320D3S32N	32.0			100.0	184.0	124.0							
WDX330D3S40N	WDXT094008	33.0	40	54	103.0	197.0	127.0	70			CS35095	-	DBIT-T15
WDX340D3S40N		34.0			106.0	200.0	130.0						
WDX350D3S40N		35.0			109.0	203.0	133.0						
WDX360D3S40N		36.0			112.0	206.0	136.0						
WDX370D3S40N		37.0			WDXT125012	40	54			116.0			
WDX380D3S40N	38.0	119.0	219.0	149.0									
WDX390D3S40N	39.0	122.0	222.0	152.0									
WDX400D3S40N	40.0	125.0	225.0	155.0									
WDX410D3S40N	41.0	128.0	228.0	158.0									
WDX420D3S40N	42.0	131.0	231.0	161.0									
WDX430D3S40N	43.0	134.0	234.0	164.0									
WDX440D3S40N	44.0	137.0	237.0	167.0									
WDX450D3S40N	45.0	140.0	240.0	170.0									

WDX

4D






▼Recommended Inserts 建議刀片品牌: SUMITOMO

Order No.	Insert	Dimensions(mm)							Fig	Screw	Wrench											
Right / Left		刀徑	柄徑	夾持接觸面直徑	最大鑽頭	總長	懸伸長度	柄長														
		DC	DCON	DCSFMS	LUX	OAL	LPR	LS														
WDX130D4S20N	WDXTO42004	13.0	20	28	55	114	70	44	1	CS16045	FT-6	-										
WDX135D4S20N		13.5			57	116	72															
WDX140D4S20N		14.0			59	118	74															
WDX145D4S20N		14.5			61	120	76															
WDX150D4S20N		15.0			63	122	78															
WDX155D4S20N	WDXTO52504	15.5	20	28	65	124	80	44		CS20047	FT-6	-										
WDX160D4S20N		16.0			67	126	82															
WDX165D4S20N		16.5			69	128	84															
WDX170D4S20N		17.0			71	130	86															
WDX175D4S25N		17.5	25	33	73	144	88	56					CS22060	-	DT-7							
WDX180D4S25N	18.0	75			146	90																
WDX185D4S25N	WDXTO63006	18.5	25	33	77	148	92	56		CS25055/ CS25052S	-	DT-8										
WDX190D4S25N		19.0			79	150	94															
WDX195D4S25N		19.5			81	152	96															
WDX200D4S25N		20.0			83	154	98															
WDX205D4S25N		20.5			85	156	100															
WDX210D4S25N		21.0			87	158	102															
WDX215D4S25N		21.5			89	160	104															
WDX220D4S25N	22.0	91	162	106	56	CS25055/ CS25052S	-	DT-8														
WDX225D4S25N	22.5	93	164	108																		
WDX230D4S25N	WDXTO73506	23.0	25	33												95	169	113	60	CS35095	-	DBIT-T15
WDX235D4S25N		23.5														97	171	115				
WDX240D4S25N		24.0														99	173	117				
WDX245D4S25N		24.5														101	175	119				
WDX250D4S25N		25.0														103	177	121				
WDX255D4S32N	WDXTO73506	25.5	32	41	105	185	125	60								CS50100	-	DBIT-T20				
WDX260D4S32N		26.0			107	187	127															
WDX265D4S32N		26.5			109	189	129															
WDX270D4S32N		27.0			111	191	131															
WDX275D4S32N		27.5			113	193	133															
WDX280D4S32N		28.0			115	195	135															
WDX285D4S32N		28.5			117	197	137															
WDX290D4S32N	WDXTO94008	29.0	32	41	120	201	141	60	CS50100	-	DBIT-T20											
WDX295D4S32N		29.5			122	203	143															
WDX300D4S32N		30.0			124	208	148															
WDX310D4S32N		31.0			128	212	152															
WDX320D4S32N		32.0			132	216	156															
WDX330D4S40N	WDXTO94008	33.0	40	54	136	230	160	70				CS50100	-	DBIT-T20								
WDX340D4S40N		34.0			140	234	164															
WDX350D4S40N		35.0			144	238	168															
WDX360D4S40N		36.0			148	242	172															
WDX370D4S40N		WDXTO125012			37.0	40	54								153				253	183	70	CS50100
WDX380D4S40N	38.0		157	257	187																	
WDX390D4S40N	39.0		161	261	191																	
WDX400D4S40N	40.0		165	265	195																	
WDX410D4S40N	41.0		169	269	199																	
WDX420D4S40N	42.0		173	273	203																	
WDX430D4S40N	43.0		177	277	207																	
WDX440D4S40N	44.0		181	281	211																	
WDX450D4S40N	45.0	185	285	215																		

WDX

5D



▼Recommended Inserts 建議刀片品牌：SUMITOMO

Order No.	Insert	Dimensions(mm)							Fig	Screw	Wrench				
Right / Left		刀徑	柄徑	夾持接觸面直徑	最大鑽頭	總長	懸伸長度	柄長							
		DC	DCON	DCSFMS	LUX	OAL	LPR	LS							
WDX130D5S20N	WDXT042004	13.0	20	28	68.0	127.0	83.0	44	1	CS16045	FT-6	-			
WDX135D5S20N		13.5			70.5	129.5	85.5								
WDX140D5S20N		14.0			73.0	132.0	88.0								
WDX145D5S20N		14.5			75.5	134.5	90.5								
WDX150D5S20N		15.0			78.0	137.0	93.0								
WDX155D5S20N	WDXT052504	15.5	20	28	80.5	139.5	95.5	44		CS20047	FT-6	-			
WDX160D5S20N		16.0			83.0	142.0	98.0								
WDX165D5S20N		16.5			85.5	144.5	100.5								
WDX170D5S20N		17.0			88.0	147.0	103.0								
WDX175D5S25N		17.5	25	33	90.5	161.5	105.5	56					CS22060	-	DT-7
WDX180D5S25N		18.0			93.0	164.0	108.0								
WDX185D5S25N	WDXT063006	18.5	25	33	95.5	166.5	110.5	56		CS25055/ CS25052S	-	DT-8			
WDX190D5S25N		19.0			98.0	169.0	113.0								
WDX195D5S25N		19.5			100.5	171.5	115.5								
WDX200D5S25N		20.0			103.0	174.0	118.0								
WDX205D5S25N		20.5			105.5	176.5	120.5								
WDX210D5S25N		21.0			108.0	179.0	123.0								
WDX215D5S25N		21.5			110.5	181.5	125.5								
WDX220D5S25N		22.0			113.0	184.0	128.0								
WDX225D5S25N		22.5		115.5	186.5	130.5		CS25055/ CS25052S					-	DT-8	
WDX230D5S25N	WDXT073506	23.0	25	33	118.0	192.0	136.0								56
WDX235D5S25N		23.5			120.5	194.5	138.5								
WDX240D5S25N		24.0			123.0	197.0	141.0								
WDX245D5S25N		24.5			125.5	199.5	143.5								
WDX250D5S25N		25.0			128.0	202.0	146.0								
WDX260D5S32N		26.0	32	41	133.0	213.0	153.0	60	2						
WDX270D5S32N		27.0			138.0	218.0	158.0								
WDX280D5S32N		28.0			143.0	223.0	163.0								
WDX290D5S32N		29.0			149.0	230.0	170.0								
WDX300D5S32N	WDXT094008	30.0	32	41	154.0	238.0	178.0	60					CS35095	-	DBIT-T15
WDX310D5S32N		31.0			159.0	243.0	183.0								
WDX320D5S32N		32.0			164.0	248.0	188.0								
WDX330D5S40N		33.0			169.0	263.0	193.0								
WDX340D5S40N		34.0	40	54	174.0	268.0	198.0	70		CS50100	-	DBIT-T20			
WDX350D5S40N		35.0			179.0	273.0	203.0								
WDX360D5S40N		36.0			184.0	278.0	208.0								
WDX370D5S40N		37.0			190.0	290.0	220.0								
WDX380D5S40N	WDXT125012	38.0	40	54	195.0	295.0	225.0	70	CS50100				-	DBIT-T20	
WDX390D5S40N		39.0			200.0	300.0	230.0								
WDX400D5S40N		40.0			205.0	305.0	235.0								
WDX410D5S40N		41.0			210.0	310.0	240.0								
WDX420D5S40N		42.0			215.0	315.0	245.0								
WDX430D5S40N		43.0			220.0	320.0	250.0								
WDX440D5S40N		44.0			225.0	325.0	255.0								
WDX450D5S40N		45.0			230.0	330.0	260.0								